

**CALIBRE CONTINUES TO DISCOVER ADDITIONAL GOLD MINERALIZATION AT THE VALENTINE GOLD
MINE DEMONSTRATING UPSIDE POTENTIAL**

Calibre Mining News Release, June 5, 2024 - Drill Hole Table

*See notes at the bottom of the table

Drill Hole ID	Prospect	From (m)	To (m)	Interval (m)	ETW (m)	Au (g/t)
LS-24-001	LP-SW	0.0	24.0	24.0		NS
		24.0	25.0	1.0	0.84	2.25
		25.0	56.0	31.0		NS
		56.0	57.0	1.0	0.84	0.95
		57.0	65.0	8.0		NS
		65.0	66.0	1.0	0.84	0.96
		66.0	89.0	23.0		NS
		89.0	90.0	1.0	0.84	0.84
		90.0	229.0	13.90		NS
		229.0	230.0	1.0	0.84	0.81
		230.0	242.0	12.0		NS
LS-24-002	LP-SW <i>Including</i>	0.0	5.0	5.0		NS
		5.0	6.0	1.0	0.85	0.77
		6.0	7.0	1.0		NS
		7.0	25.0	18.0	15.30	2.25
		10.0	11.0	1.0	0.85	24.68
		25.0	39.0	14.0		NS
		39.0	40.0	1.0	0.85	0.99
		40.0	92.0	52.0		NS
		92.0	94.0	2.0	1.70	1.55
		94.0	102.0	8.0		NS
		102.0	103.0	1.0	0.85	0.83
		103.0	332.0	229.0		NS
LS-24-003	LP-SW	0.0	51.0	51.0		NS
		51.0	52.0	1.0	0.86	0.80
		52.0	240.0	188.0		NS
		240.0	241.0	1.0	0.86	2.33
		241.0	290.0	49.0		NS
LS-24-004	LP-SW	0.0	18.0	18.0		NS
		18.0	20.0	2.0	1.70	2.40
		20.0	123.0	103.0		NS
		123.0	128.0	5.0	4.25	1.24
		128.0	308.0	180.0		NS
		308.0	309.0	1.0	0.85	0.98
LS-24-005	LP-SW	309.0	314.0	5.0		NS
		0.0	41.0	41.0		NS
		41.0	42.0	1.0	0.87	3.08
		42.0	167.0	125.0		NS
		167.0	168.0	1.0	0.87	0.96
LS-24-006	LP-SW	168.0	176.0	8.0		NS
		0.0	50.0	50.0		NS

		50.0	52.0	2.0	1.68	1.25
		52.0	120.0	68.0		NS
		120.0	121.0	1.0	0.84	0.79
		121.0	215.0	94.0		NS
LS-24-007	LP-SW <i>Including</i>	0.0	4.0	4.0		NS
		4.0	17.0	13.0	11.57	1.87
		7.0	8.0	1.0	0.89	9.26
		17.0	43.0	26.0		NS
		43.0	44.0	1.0	0.89	0.82
		44.0	59.0	15.0		NS
		59.0	60.0	1.0	0.89	1.13
		60.0	215.0	155.0		NS
LS-24-010	LP-SW	0.0	136.0	136.0		NS
		136.0	137.0	1.0	0.91	1.67
		137.0	145.0	8.0		NS
		145.0	146.0	1.0	0.91	7.60
		146.0	174.0	28.0		NS
		174.0	175.0	1.0	0.91	1.99
		175.0	187.0	12.0		NS
		187.0	188.0	1.0	0.91	36.83
LS-24-011	LP-SW	188.0	221.0	33.0		NS
		0.0	150.0	150.0		NS
		150.0	151.0	1.0	0.85	13.32
		151.0	189.0	38.0		NS
		189.0	190.0	1.0	0.85	3.47
		190.0	281.0	91.0		NS
		281.0	282.0	1.0	0.85	7.99
		282.0	301.0	19.0		NS
FZ-24-024	FZ	301.0	302.0	1.0	0.85	2.17
		302.0	320.0	18.0		NS
		0.0	27.0	27.0		NS
		27.0	28.0	1.0	0.47	1.36
		28.0	32.0	4.0		NS
		32.0	33.0	1.0	0.47	1.38
		33.0	41.0	8.0		NS

Notes on the Calculation of Assay Intervals

1. "Significant" assay intervals are defined as 1m core length or more of mineralization with an average fire assay result of greater than 0.7 g/t Au, representing the bottom cut-off for high-grade mill feed in the Valentine Gold December 2022 Updated Feasibility Study mine plan. Assay intervals with an average fire assay result of between 0.3 g/t Au and 0.7 g/t Au are above the cut-off used in the July 2022 Mineral Resource estimate but are not considered "significant" for the purposes of this news release.
2. Cut gold grades are calculated at 50 g/t Au.
3. No significant results in drill hole LS-24-008, LS-24-009, FZ-24-025, FZ-24-026.

June 5, 2024 – Drill Hole Collar Coordinates

Drill Hole ID	Prospect	UTM East (m)	UTM North (m)	Elevation (masl)	End Depth	Azimuth (degrees)	Dip (degrees)
LS-24-001	LP-SW	486316.772	5355772.079	382.333	242	342	-57
LS-24-002	LP-SW	486298.900	5355815.000	383.585	332	344	-57
LS-24-003	LP-SW	486327.557	5355861.048	382.461	290	343	-63
LS-24-004	LP-SW	486274.400	5355798.000	385.715	314	344	-57
LS-24-005	LP-SW	486238.000	5355805.000	383.423	176	345	-65
LS-24-006	LP-SW	486216.100	5355756.000	382.776	215	344	-54
LS-24-007	LP-SW	486272.900	5355744.000	384.549	215	350	-65
LS-24-008	LP-SW	486267.269	5355913.549	384.128	98	344	-53
LS-24-009	LP-SW	486192.468	5355703.273	383.423	152	343	-61
LS-24-010	LP-SW	486147.753	5355676.415	385.325	221	10	-44
LS-24-011	LP-SW	486147.144	5355676.787	385.288	320	359	-42
FZ-24-024	LP-SW	485575.312	5355675.994	425.175	41	163	-50
FZ-24-025	LP-SW	485526.904	5355708.256	424.533	59	163	-60
FZ-24-026	LP-SW	486049.036	5355616.197	382.585	185	344	-53